

Global  
Environment  
Outlook 3



# Global Environment Outlook 3

*Past, present and future perspectives*



**EARTHSCAN**

Earthscan Publications Ltd  
London • Sterling, VA

First published in the United Kingdom and the United States in 2002 by Earthscan Publications Ltd for and on behalf of the United Nations Environment Programme

Copyright © 2002, United Nations Environment Programme

ISBN: 92-807-2087-2 (UNEP paperback)  
92-807-2088-0 (UNEP hardback)  
1 85383 845 4 (Earthscan paperback)  
1 85383 844 6 (Earthscan hardback)  
ISSN: 1366-8080

This publication may be reproduced in whole or in part and in any form for educational or non-profit purposes without special permission from the copyright holder, provided acknowledgement of the source is made. UNEP would appreciate receiving a copy of any publication that uses this report as a source.

No use of this publication may be made for resale or for any other commercial purpose whatsoever without prior permission in writing from the United Nations Environment Programme.

United Nations Environment Programme  
PO Box 30552, Nairobi, Kenya  
Tel: +254 2 621234  
Fax: +254 2 623943/44  
E-mail: [geo@unep.org](mailto:geo@unep.org)  
Web: [www.unep.org](http://www.unep.org)  
[www.unep.net](http://www.unep.net)

#### **DISCLAIMER**

The designations employed and the presentations do not imply the expression of any opinion whatsoever on the part of UNEP or cooperating agencies concerning the legal status of any country, territory, city, or area of its authorities, or of the delineation of its frontiers or boundaries.

Mention of a commercial company or product in this report does not imply endorsement by the United Nations Environment Programme. The use of information from this publication concerning proprietary products for publicity or advertising is not permitted.

Printed and bound in the UK by CPI

Earthscan Publications Ltd  
120 Pentonville Road  
London N1 9JN, United Kingdom  
Tel: +44 (0)20 7278 0433  
Fax: +44 (0)20 7278 1142  
E-mail: [earthinfo@earthscan.co.uk](mailto:earthinfo@earthscan.co.uk)  
Web: [www.earthscan.co.uk](http://www.earthscan.co.uk)

22883 Quicksilver Drive, Sterling, VA 20166-2012, USA

Earthscan is an editorially independent subsidiary of Kogan Page Ltd and publishes in association with WWF-UK and the International Institute for Environment and Development.

This book is printed on 100 per cent recycled, chlorine free paper.

# GEO-3

*Past, present and future perspectives*



in collaboration with



ACSAD



ADIE



AGU



AIT



BCAS



CEC of  
NAAEC



CEDARE



CEU



EARTH  
COUNCIL



EEA



GRID-  
CHRISTCHURCH



IBAMA



ICIS



IGCI



IISD



IOC



ISLAND  
RESOURCES  
FOUNDATION



IUCN



MSU



NEMA



NESDA



NIES



REC



RING



RIVM



SARDC



SCOPE



SEI



SEPA



SIC



SPREP



TEI



TERI



UNIVERSITY  
OF CHILE



UNIVERSITY  
OF  
COSTA RICA



UWICED



WRI

# Acknowledgements

UNEP acknowledges the contributions made by the many individuals and institutions to the preparation and publication of *Global Environment Outlook 3*. A full list of names is included on page 416. Special thanks are extended to:

## GEO-3 Collaborating Centres

Arab Centre for the Studies of Arid Zones and Drylands (ACSAD), Syria

Arabian Gulf University (AGU), Bahrain

Asian Institute of Technology (AIT), Thailand

Association pour le Développement de l'Information Environnementale (ADIE), Gabon

Bangladesh Centre for Advanced Studies (BCAS), Bangladesh

Brazilian Institute of the Environment and Natural Renewable Resources (IBAMA), Brazil

Central European University (CEU), Hungary

Centre for Environment and Development for the Arab Region & Europe (CEDARE), Egypt

Commission for Environmental Cooperation of the North American Agreement on Environmental Cooperation (CEC of NAAEC), Canada

Earth Council, Costa Rica

European Environment Agency (EEA), Denmark

GRID-Christchurch/Gateway Antarctica, New Zealand

Indian Ocean Commission (IOC), Mauritius

International Centre for Integrative Studies (ICIS), The Netherlands

International Global Change Institute (IGCI), New Zealand

International Institute for Sustainable Development (IISD), Canada

Island Resources Foundation, US Virgin Islands

Moscow State University (MSU), Russia

Musokotwane Environment Resource Centre for Southern Africa (IMERCSA) of the Southern African Research and Documentation Centre (SARDC), Zimbabwe

National Environmental Management Authority (NEMA), Uganda

National Institute for Environmental Studies (NIES), Japan

National Institute for Public Health and the Environment (RIVM), The Netherlands

Network for Environment and Sustainable Development in Africa (NESDA), Côte d'Ivoire

Regional Environmental Centre for Central and Eastern Europe (REC), Hungary

RING Alliance of Policy Research Organizations, United Kingdom

Scientific Committee on Problems of the Environment (SCOPE), France

Scientific Information Centre (SIC), Turkmenistan

South Pacific Regional Environmental Programme (SPREP), Samoa

State Environmental Protection Administration (SEPA), China

Stockholm Environment Institute (SEI), Sweden and United States

Tata Energy Research Institute (TERI), India

Thailand Environment Institute (TEI), Thailand

University of Chile, Centre for Public Policy Analysis (CAPP), Chile

University of Costa Rica, Development Observatory (OdD), Costa Rica

University of West Indies, Centre for Environment and Development (UWICED), Jamaica

World Conservation Union (IUCN), Switzerland

World Resources Institute (WRI), United States

## Funding

The United Nations Fund for International Partnerships (UNFIP) provided funding to support capacity building and involvement of Collaborating Centres in developing countries and development of the GEO Data Portal.

## Global Environment Outlook 3: the production team

### GEO Nairobi Coordinating Team

Marion Cheatle  
Munyaradzi Chenje  
Volodymyr Demkine  
Norberto Fernandez  
Tessa Goverse  
Anna Stabrawa

### GEO Regional Coordinating Team

Habib El-Habr  
Bob Kakuyo  
Lars Kullerud  
Choudhury Rudra Charan Mohanty  
Surendra Shrestha  
Ashbindu Singh  
Ron Witt  
Kaveh Zahedi

### GEO Support Team

Susanne Bech, Jeremy Casterson, Dan Claasen, Julia Crause, Arthur Dahl, Harsha Dave, Rob de Jong, Salif Diop, Sheila Edwards, Tim Foresman, Sherry Heilemann, Shova Khatri, Dave MacDevette, Timo Maukonen, Kakuko Nagatani-Yoshida, Adrian Newton, Nick Nuttall, Bryan Ochieng, Everlyn Ochola, Samantha Payne, Mark Schreiner, Tilly Shames, Josephine Wambua, Mick Wilson and Jinhua Zhang

### Data

Jaap van Woerden  
Stefan Schwarzer

### Editors

Robin Clarke  
Robert Lamb  
Dilys Roe Ward

### Graphics

Bounford.com

### Cover and page design

Paul Sands

### Web editing and graphics

Brian Lucas  
Lawrence Hislop

# Contents

<i>Foreword</i>	<i>xiv</i>
<i>Preface</i>	<i>xvi</i>
<i>The GEO Project</i>	<i>xviii</i>
<i>Synthesis</i>	<i>xx</i>
<i>The GEO-3 Regions</i>	<i>xxx</i>

## **1** Integrating Environment and Development: 1972–2002 **1**

---

## **2** State of the Environment and Policy Retrospective: 1972–2002 **29**

---

Socio-economic background	32
Land	62
Forests	90
Biodiversity	120
Freshwater	150
Coastal and marine areas	180
Atmosphere	210
Urban areas	240
Disasters	270
Conclusions	297

## **3** Human Vulnerability to Environmental Change **301**

---

## **4** Outlook: 2002–32 **319**

---

Driving forces	322
A tale of four futures	328
Environmental implications	350
Lessons from the future	394
Technical annex	398

## **5** Options for Action **401**

---

<i>Acronyms and Abbreviations</i>	<i>411</i>
<i>Collaborating Centres</i>	<i>414</i>
<i>Contributors</i>	<i>416</i>
<i>Index</i>	<i>425</i>

## List of illustrations

### CHAPTER 1

Landsat images of the Saloum River, Senegal	7
Slums next to an open sewer in Bombay, India	9
Firemen trying to extinguish a burning oil rig in Kuwait in 1991	14
Sea levels during the 1997-98 El Niño	23
One of the world's largest dams — the Itaipu hydroelectric plant in Brazil	25

### CHAPTER 2

#### Socio-economic background

Progress in human development over the past 30 years	33
World population (millions) by region, 1972–2000	34
Gross domestic product per capita (US\$1995/year), 1972–99	34
Number of countries connected to the Internet	36
Number of Internet users (millions)	37
Fixed and mobile telephone subscribers (millions)	37
Colour image of the Earth	37
A hand through the Berlin Wall	38
Population (millions) by sub-region: Africa	40
GDP per capita (US\$1995) by sub-region: Africa	41
Population (millions) by sub-region: Asia and the Pacific	43
Traditional agriculture in Asia and the Pacific	44
GDP per capita (US\$1995) by sub-region: Asia and the Pacific	45
Population (millions) by sub-region: Europe	47
GDP per capita (US\$1995) by sub-region: Europe	47
Population (millions) by sub-region: Latin America and the Caribbean	49
GDP per capita (US\$1995) by sub-region: Latin America and the Caribbean	50
Population pyramids 1990 and 2000: United States	52
GDP per capita (US\$1995/year), with service sector share: North America	53
Traditional market in West Asia	55
GDP per capita (US\$1995/year): West Asia	55
Population (millions) by sub-region: West Asia	56
Total GDP (US\$1995 billion) by sub-region: West Asia	56
Population pyramid for Nunavut and Canada	58
Indigenous populations in the Arctic	59

#### Land

Area under arable and permanent crops (million ha)	63
Area under irrigation (million ha)	63
Fertilizer consumption (kg per capita/year)	63
Extent and severity of land degradation	65
Agricultural land threatened by chemical pollution in China	67
Land utilization (percentage of total land area): Africa	70
Desertification vulnerability: Africa	71
Land utilization (percentage of total land area): Asia and the Pacific	73
Salinization in Western Australia	74
Desertification vulnerability: Asia and the Pacific	75
Flooding in Portugal	77
Floods and landslides in Italy (number of events)	77
Water erosion in Europe	78

Irrigated area (1 000 hectares): Latin America and the Caribbean	79
Vulnerability to water and wind: Latin America and the Caribbean	80
Water and wind erosion vulnerability: North America	83
Land degradation in West Asia: severity and causes (%)	85
Irrigated area (million ha): West Asia	86
Ecosystems in the Arctic	87

#### Forests

Forest cover 2000	91
Causes of forest area change (percentage of total) by region	92
Forest fire in Indonesia	95
Forest extent: Africa	98
Forest extent: Asia and the Pacific	101
Commercial logging in Myanmar	102
Forest extent: Europe	104
Forest extent: Latin America and the Caribbean	107
Timber increments and removals (million m <sup>3</sup> /year): North America	110
Forest extent: North America	110
Decline of old growth forest (percentage of total)	111
Forest extent: West Asia	113
Dragon's blood tree	114
Arctic treeline	116

#### Biodiversity

Global number and area of protected sites by year	124
Cumulative number of aquatic introductions	126
Numbers of threatened vertebrates: Africa	128
Protected areas: Africa	129
Numbers of threatened vertebrates: Asia and the Pacific	131
Protected areas: Asia and the Pacific	132
Numbers of threatened vertebrates: Europe	134
Protected areas: Europe	135
Numbers of threatened vertebrates: Latin America and the Caribbean	137
Protected areas: Latin America and the Caribbean	138
Numbers of threatened vertebrates: North America	140
Numbers of threatened vertebrates: West Asia	143
Protected areas: West Asia	144
Polar bear populations in the Arctic	146

#### Freshwater

Precipitation, evaporation and run-off by region (km <sup>3</sup> /year)	151
Water availability by sub-region in 2000 (1 000 m <sup>3</sup> per capita/year)	152
Global irrigated area and water withdrawals	152
Numbers of international river basins	154
Water supply and sanitation coverage: Africa	159
Improved water supply and sanitation coverage: Asia and the Pacific	162
Water stress in Europe (withdrawals as % of renewable resources)	164
Water availability in 2000 (1 000 m <sup>3</sup> per capita/year)	167
Areas of Concern (AOC) in the Great Lakes	171
Water uses in West Asia	173
Major river systems in the Arctic	176
The decline of Barrow's goldeneye	176



**Coastal and marine areas**

Seasonal zones of oxygen-depleted waters	182
Annual fish, mollusc and crustacean catch (million tonnes) by region	183
Annual fish, mollusc and crustacean catch per capita (kg) by region	183
Annual aquaculture production (million tonnes) by region	183
Global trends in world fisheries stocks (%)	184
Seal ensnared in broken fishing net	185
Africa's coral reefs	188
Annual fish catch per capita (kg): Africa	189
Annual fish catch per capita (kg): Asia and the Pacific	191
Annual aquaculture production per capita (kg): Asia and the Pacific	191
Marine oil transport incidents (number) in Europe	194
Oil tanker routes in the Mediterranean	195
Fish catch (million tonnes): Latin America and the Caribbean	198
Wastewater discharged into the sea	199
Annual fish catch (million tonnes): North America	200
Pacific Northwest salmon catch value (US\$million/year)	201
Annual fish catch per capita (kg): West Asia	204
The global ocean circulation	206
Stocks of Arctic fisheries (thousands of adults)	206

**Atmosphere**

World energy supply by fuel (million tonnes oil equivalent/year)	211
Migration of persistent organic pollutants	212
World production of major chlorofluorocarbons (tonnes/year)	213
The Antarctic ozone hole breaks a new record	213
Carbon dioxide concentrations at Mauna Loa, Hawaii (parts per million by volume)	214
Carbon dioxide emissions by region, 1998 (million tonnes carbon/year)	215
Carbon dioxide emissions per capita:	219
Africa (tonnes carbon per capita/year)	
Passenger vehicles/1 000 people (1996)	221
SO <sub>2</sub> emissions in EMEP countries (million tonnes/year)	224
SO <sub>2</sub> emissions (1 000 tonnes):	225
linking policy to emission reductions in the Netherlands	
Carbon dioxide emissions per capita:	227
Latin America and the Caribbean (tonnes carbon per capita/year)	
Emissions of major air pollutants: United States (million tonnes/year)	230
Average temperatures in the United States (°C)	231
Energy consumption and production:	233
West Asia (million tonnes oil equivalent/year)	
Monthly mean ozone levels at Halley Bay, Antarctica (Dobson units)	235
Radioactive contamination after Chernobyl	236

**Urban areas**

Urban population (% of regional totals) by region	241
Annual percentage increase in the urban population	241
Satellite image of global city lights	242
Population of selected major cities of the world by region (millions)	244
Sifting through waste on a dump outside a city in Viet Nam	245
Urban populations (millions) by sub-region: Africa	248
Urbanization level (%): Africa	248
Urban population (millions) with and without improved water and sanitation: Africa	249
Collecting traditional fuel in Africa	250

Urbanization level (%): Asia and the Pacific	251
Urban populations (millions) by sub-region: Asia and the Pacific	251
Urban population (millions) with and without improved water and sanitation: Asia and the Pacific	252
Urban population (percentage of total): Europe	254
Growth or urban sprawl along the French Riviera, 1975-90	255
Urban population (percentage of total): Latin America and the Caribbean	257
Waste disposal in selected cities (tonnes/year/person)	257
Private and public transport use (passenger-km per year/capita): Canada and United States	260
Solid waste disposal (million tonnes/year) in the United States	261
Urbanization level (%): West Asia	263
Urban population (millions) by sub-region: West Asia	263
Traditional village in Iran	264

**Disasters**

Numbers of great natural disasters per year, 1950-2001	271
Economic costs of great natural disasters (US\$billion), 1950-2000	272
Apartment block after the 1999 earthquake in Izmit, Turkey	273
Trends in disasters (number/year): Asia and the Pacific	279
Storm Lothar passing over Europe	282
Spraying water on a forest fire in Europe	283
Annual average precipitation departures from mean (mm): Canada	288
Forest area burnt (million ha/year): North America	289
Sheep in the Mashriq sub-region	291
Oil wells ignited during the second Gulf War	292
Nuclear waste dumping sites: Arctic	295

**CHAPTER 3**

Extensive smoke haze over Indonesia and neighbouring areas	309
Undernourishment by country (% of population undernourished)	310
Effects of conserving upstream water	312

**CHAPTER 4**

Carbon dioxide emissions from all sources (billion tonnes carbon/year)	351
Atmospheric concentrations of carbon dioxide (parts per million by volume)	351
Global temperature change (°C per ten years)	352
Extent of built-up areas (% of total land area)	353
Land area impacted by infrastructure (% of total land area)	353
Ecosystems impacted by infrastructure expansion 2002	354
Global change in selected pressures on natural ecosystems 2002-32	355
Population living in areas with severe water stress (%)	356
Number of people living in areas with severe water stress (million persons)	356
Population living with hunger (million persons)	357
Population living with hunger (%)	357
Area with high risk of water-induced soil degradation: Africa (% of total land area)	358
Percentage of 2002 cropland severely degraded by 2032: Africa	358
Natural forest, excluding regrowth: Africa (% of total land area)	359

Land area impacted by infrastructure expansion: Africa (% of total land area)	359	Extent of built-up areas: North America (% of total land area)	380
Natural Capital Index: Africa	359	Land area impacted by infrastructure expansion: North America (% of total land area)	381
Population living in areas with severe water stress: Africa (%)	360	Natural Capital Index: North America	382
Number of people living in areas with severe water stress: Africa (million persons)	360	Population living in areas with severe water stress: North America (%)	382
Population living with hunger: Africa (%)	361	Number of people living in areas with severe water stress: North America (million persons)	382
Population living with hunger: Africa (million persons)	361	Area with high risk of water-induced soil degradation: West Asia (% of total land area)	384
Area with high risk of water-induced soil degradation: Asia and the Pacific (% of land areas)	363	Extent of built-up areas: West Asia (% of total land area)	384
Percentage of 2002 cropland severely degraded by 2032: Asia and the Pacific	363	Percentage of 2002 cropland severely degraded by 2032: West Asia	384
Population living in areas with severe water stress: Asia and the Pacific (%)	364	Population living in areas with severe water stress: West Asia (%)	385
Number of people living in areas with severe water stress: Asia and the Pacific (million persons)	364	Number of people living in areas with severe water stress: West Asia (million persons)	385
Energy-related sulphur dioxide emissions: Asia and the Pacific (million tonnes sulphur)	366	Land area impacted by infrastructure expansion: West Asia (% of total land area)	386
Energy-related nitrogen oxide emissions: Asia and the Pacific (million tonnes nitrogen)	366	Natural Capital Index: West Asia	386
Extent of built-up areas: Asia and the Pacific (% of total land area)	366	Energy-related nitrogen oxide emissions: West Asia (million tonnes nitrogen)	387
Energy-related carbon dioxide emissions: Asia and the Pacific (million tonnes carbon)	367	Population living with hunger: West Asia (million persons)	388
Land area impacted by infrastructure expansion: Asia and the Pacific (% of total land area)	367	Population living with hunger: West Asia (%)	388
Municipal solid waste generation: Asia and the Pacific (index related to value of 1 for base year 1995)	367	Change in average temperature: Polar regions (°C per ten years)	391
Natural Capital Index: Asia and the Pacific	368	Land area impacted by infrastructure expansion: Arctic (% of total land area)	392
Population living with hunger: Asia and the Pacific (%)	368		
Population living with hunger: Asia and the Pacific (million persons)	368		
Energy-related carbon dioxide emissions: Europe (million tonnes carbon)	370		
Extent of built-up areas: Europe (% of total land area)	371		
Land area impacted by infrastructure expansion: Europe (% of total land area)	371		
Natural Capital Index: Europe	372		
Population living in areas with severe water stress: Europe (%)	372		
Number of people living in areas with severe water stress: Europe (million persons)	372		
Area with high risk of water-induced soil degradation: Latin America and the Caribbean (% total land area)	375		
Percentage of 2002 cropland severely degraded by 2032: Latin America and the Caribbean	375		
Extent of built-up areas: Latin America and the Caribbean (% of total land area)	375		
Energy-related nitrogen oxide emissions: Latin America and the Caribbean (million tonnes nitrogen)	376		
Land area impacted by infrastructure expansion: Latin America and the Caribbean (% of total land area)	376		
Natural Capital Index: Latin America and the Caribbean	376		
Population living in areas with severe water stress: Latin America and the Caribbean (%)	377		
Number of people living in areas with severe water stress: Latin America and the Caribbean (million persons)	377		
Population living with hunger: Latin America and the Caribbean (%)	378		
Population living with hunger: Latin America and the Caribbean (million persons)	378		
Energy-related carbon dioxide emissions: North America (million tonnes carbon)	380		

### List of satellite images: Our Changing Environment

Mesopotamian marshlands	61
Habila, central Sudan	89
Rondônia, Brazil	119
Iguazú National Park	149
Three Gorges dam, China	178
Jilin Province, China	179
Pine Glacier, Antarctica	209
Chomutov, Czech Republic	238
Kilimanjaro, Tanzania	239
Everglades, United States	268
Santa Cruz, Bolivia	269
The Aral Sea, Central Asia	296

## List of boxes

### CHAPTER 1

The tragedy of the commons	2
Principles of the Stockholm Declaration	3
The birth of the United Nations Environment Programme	4
World Charter for Nature: general principles	10
<i>Agenda 21</i>	16
The role of developing countries in the CBD negotiations	18
Mandate of the Commission on Sustainable Development	19
Principles of the Global Compact	21
Stockholm Convention on Persistent Organic Pollutants	21
UN Secretary-General's key proposals presented to the Millennium Summit	22
Once burned, twice shy: the 1997–98 El Niño	23
The costs of global warming	24

### CHAPTER 2

#### Socio-economic background

The Human Development Index	33
Trends in global energy production and consumption	35
The Ecological Footprint	36
The enlargement of the European Union	46
Availability of and access to environmental information	46
Energy consumption in Europe	48
Inequities in social development	50
Energy production and consumption: West Asia	57
The importance of subsistence foods	59
Alaskan Oil and the Arctic National Wildlife Refuge	60

#### Land

Population controversy	66
Chemicals and land use	67
Urban agriculture in Zimbabwe	68
Land and the International Year of the Mountains: importance of the mountain commons	68
International efforts to improve land management	76
Environmental impact of the land tenure regime on soil conditions in Jamaica	81
Conservation programmes	82
The Madrid Protocol on Environmental Protection	88

#### Forests

Forest goods and services	90
Where the forest meets the sea	93
Forest certification	94
Agricultural encroachment in Uganda and Kenya	99
Forest plantations: Asia and the Pacific	103
Pan-European criteria for sustainable forest management	106
Forest fires in Latin America and the Caribbean	108
Shade-grown coffee — harnessing the market for sustainable development	109
Clayoquot Sound	111
Forest fragmentation in the Arctic	117

Arctic forests and climate change	118
-----------------------------------	-----

#### Biodiversity

The Living Planet Index: a global biodiversity indicator	122
New species in Viet Nam	131
Conservation in Nepal	133
Financial support for biodiversity in Central and Eastern Europe	136
Wetlands and waterfowl	140
Restoration of the Florida Everglades	141
Bio-invasion	141

#### Freshwater

The costs of water-related diseases	153
Vision 21: global targets for water supply and sanitation	153
The International Network of Basin Organizations	155
Ministerial Declaration on Water Security in the 21st Century	156
Rainfall variability in the Lake Chad basin	158
Sludge disposal in Cairo	159
Lake Toba–Lake Champlain Sister Lakes Exchange	161
Water pollution in Australia	162
How the Volga and the Ural were not cleaned up	165
The Tegucigalpa Model: water supply for peri-urban settlements	168
The Guarani Aquifer System	169
Health risks from groundwater pollution	170
Water use for irrigation in West Asia	174

#### Coastal and marine areas

Jellyfish in the Black Sea	186
Addressing coastal and marine degradation	189
Managing ballast water discharges in Australia	192
Hazards and contingency planning for oil spills	196
Impacts of climate change on Pacific salmon and other wild fish stock	200
Chesapeake Bay	201
Coastal and marine action plans in West Asia	203

#### Atmosphere

Impacts associated with air pollution	211
The background to international cooperation on climate change	216
Climate variability in Africa	218
Urban air pollution in Asia	221
The Asian brown cloud	222
Health effects of air pollution related to road traffic in Austria, France and Switzerland	224
Air pollution increases mortality	227
Dealing with air pollution in Mexico City	228
Ground-level ozone in North America	230
Impact of air pollution on health in North America	231
The cement industry pollutes the atmosphere	233
Long-range transport of pollutants to polar regions	236
The significance of Arctic haze	237

#### Urban areas

Facts about cities	243
--------------------	-----

The ecological footprints of cities	243	Imagine ... effects on Latin America and the Caribbean of a profound world recession	379
Nairobi's garbage	245	Imagine ... water stress in mid-continental North America	383
The rise of urban farming	246	Imagine ... a major seven-year drought in West Asia	389
Urban improvement initiatives	249	Imagine ... a crash in circumpolar Antarctic krill stocks	393
Sustainable commuting in Singapore	252	Reflections on the use of scenarios	397
A model for public transport systems	258		
Compact urban development and smart growth	261		
Urban growth in the Arctic	266		
The interplay of rural and urban populations	267		
		<b>CHAPTER 5</b>	
<b>Disasters</b>		What to aim for	405
Socio-economic effects of the 1997–98 El Niño	272	Suggestions for Action: Improving policy performance monitoring	405
The 1999 earthquake in Izmit, Turkey	273	Suggestions for Action: Strengthening international environmental legislation and compliance	406
China committed to risk reduction	274	Suggestions for Action: Changing trade patterns to benefit the environment	406
Prevention and preparedness to reduce the costs of disasters	275	Technology transfer: lessons from the Montreal Protocol	407
Environmental impacts of refugees in Africa	277	Suggestions for Action: Valuing the environment	407
Selected natural disasters: Asia and the Pacific	280	Suggestions for Action: Making the market work for sustainable development	408
The Aral Sea: a human-induced environmental and humanitarian disaster	280	Suggestions for Action: Further voluntary action	408
Being prepared: Viet Nam's disaster reduction programme	281	Suggestions for Action: Participatory management	409
The Rhine Action Plan on Flood Defence	282	Ways to strengthen local action	409
Baia Mare: analysis of a mining accident	283		
El Niño and epidemic diseases	285		
Ecological and social impacts of earthquakes in El Salvador	285		
Vulnerability to natural hazards: a geo-referenced index for Honduras	287		
Major floods over the past 30 years	288		
Kuwait Bay: a soup for disaster	293		
<b>CHAPTER 3</b>			
Vulnerability in a crisis area: Mount Nyiragongo	305		
Culture and climate change	306		
The hazards of living in high latitudes	306		
Floods caused by glacial lake outbursts	307		
Africa's Lake Victoria basin: multiple dimensions of vulnerability	307		
Watershed management and flooding	308		
Arsenic contamination in Bangladesh	309		
Food security: is the Green Revolution losing momentum?	310		
The cost of resource degradation in India	311		
Breakdown of traditional coping mechanisms: Kenyan pastoralists	313		
Advantages of foresight: predicting El Niño	314		
Famine Early Warning System Network (FEWS NET)	314		
Environmental vulnerability of small island developing states	315		
A framework for assessing risk	317		
<b>CHAPTER 4</b>			
Narratives or numbers	321		
Markets First	329		
Policy First	334		
Security First	339		
Sustainability First	344		
Imagine ... an Environmental Protection Commission for Africa	362		
Imagine ... widespread surface and groundwater contamination in Asia and the Pacific	369		
Imagine ... a major food scare in Europe	373		

## List of tables

### CHAPTER 2

Key environmental issues by GEO region 31

### Socio-economic background

The spread of communications 1980–98 (numbers/1 000 people) 51

### Land

Extent and causes of land degradation 64

Climate change impacts on land and biodiversity by region 66

### Forests

Change in forested land 1990–2000 by region 91

Change in forested land 1990–2000 by sub-region: Africa 98

Change in forested land 1990–2000 by sub-region:  
Asia and the Pacific 101

Change in forested land 1990–2000 by sub-region : Europe 104

Managing the world's most extensive forests:  
forest estate in the Russian Federation 105

Change in forested land 1990–2000 by sub-region:  
Latin America and the Caribbean 107

Change in forested land 1990–2000 by sub-region: West Asia 113

### Biodiversity

Estimated number of described species 120

Globally threatened vertebrate species by region 121

Biological diversity in the Arctic: number of known species 146

Protected areas in the Arctic 147

### Freshwater

Major stocks of water 151

Groundwater quality problems 154

Water stress index: West Asia 173

Available water resources in West Asia (million m<sup>3</sup>/year) 174

### Coastal and marine areas

Disease burden of selected common and marine-related diseases 181

Economic losses from red tides in fisheries and aquaculture 182

Management status of principal coastal and marine areas 197

### Urban areas

Distribution of global population (%) by size of settlement,  
1975 and 2000 241

### Disasters

Recent disasters caused by extreme natural events 271

Some of the worst disasters in Africa, 1972–2000 276

Impact of natural disasters in Asia and the Pacific, 1972–2000 279

Vulnerability to natural hazards of Caribbean countries 286

### CHAPTER 4

Potential increase in nitrogen loading on coastal ecosystems 355

# Foreword

Thirty years ago, the international community gathered in Stockholm for the United Nations Conference on the Human Environment to sound an alarm about the perilous state of the Earth and its resources. That landmark event is widely credited with having put environmental issues on the international agenda, leading in turn to the establishment of environment ministries at the national level and increased awareness of the impact that even very local decisions can have on the global environment. But the conference also identified a knowledge gap: the lack of accurate, up-to-date information with which policy makers could chart a clearer path towards a better-managed environment. The conference therefore asked the United Nations Secretary-General to fill that gap — by reporting regularly on the state of the global environment and related issues, by helping countries to monitor the environment at the national level, and by carrying out educational programmes on environmental issues.

With this report — *Global Environment Outlook 3 (GEO-3): Past, Present and Future Perspectives* — the United Nations Environment Programme, itself a legacy of the Stockholm Conference, has once again fulfilled its cardinal responsibility to present, in clear, accessible terms, the challenges we face in safeguarding the environment and moving towards a more sustainable future.

Since the conference in 1972, the natural environment has borne the stresses imposed by a fourfold increase in human numbers and an 18-fold growth in world economic output. Despite the wealth of technologies, human resources, policy options, and technical and scientific information at our disposal, humankind has yet to break decisively with unsustainable and environmentally unsound policies and practices. What emerges from the data, analysis and forecasts contained in this report is the compelling need to go beyond taking stock to taking action.

The publication of *GEO-3* is timed to contribute to the World Summit on Sustainable Development in Johannesburg. Much was achieved at the ‘Earth Summit’ in Rio de Janeiro in 1992. But over the past decade, as our attention has been focused on conflict, globalization and terrorism, there is a sense of lost momentum. One important task at Johannesburg is to show that sustainable development is an exceptional opportunity for humankind — economically, to build markets and create jobs; socially, to bring people in from the margins; politically, to reduce tensions over resources, that could lead to violence; and of course, environmentally, to protect the ecosystems and resources on which all life depends — and thereby merits more urgent attention and high-level commitment.

*GEO-3* is a vital contribution to international debate on the environment. I hope it reaches the widest possible audience and inspires new and determined action that will help the human

community to meet the social, economic and environmental needs of the present without compromising the ability of the planet to provide for the needs of future generations.



A handwritten signature in black ink, which appears to read "K. Annan". The signature is written in a cursive, flowing style.

Kofi Annan  
Secretary-General of the United Nations  
United Nations Headquarters, New York, February 2002

## Preface

The third UNEP Global Environment Outlook report (*GEO-3*) provides an opportune brief for the 2002 World Summit on Sustainable Development (WSSD), to be held later this year in Johannesburg, South Africa.

It is a feat of collaboration between UNEP and some 1 000 individuals and 40 institutions from around the world. It picks up and weaves together the strands of debate and action on the environment that lead forward from that linchpin of modern environment and development thinking, the 1972 Stockholm Conference on the Human Environment, and through the 1992 United Nations Conference on Environment and Development (UNCED) to where we stand today. *GEO-3* sets out to provide global and regional perspectives on the past, present and future environment, linked together with telling examples from within the regions to form a comprehensive and integrated assessment.

An important aspect of the GEO process is capacity building for the collaborating centres directly involved in this initiative and for a wider range of individuals and institutions whose work forms the foundation of environmental assessment — from national through global levels. For example, UNEP has, through a comprehensive Internet-based data portal, made relevant data more accessible to collaborating centres to strengthen analysis and reporting. Capacity building has also involved formal and practical training in integrated environmental

assessment, and such training will be expanded in the coming years.

In terms of the *GEO-3* report itself, an overview of major developments between 1972 and 2002 highlights significant milestones and integrates environmental, economic and social factors within a unified world view. The retrospective chapter explores many of these developments in greater depth from global and regional standpoints. The report presents a global overview and also directs a spotlight onto two or three key issues that are considered paramount in each of the seven regional arenas under each of eight environmental themes in turn: land, forests, biodiversity, freshwater, coastal and marine areas, atmosphere, urban areas and disasters.

Analysing the most up-to-date and reliable information on these issues reveals the critical trends during the 30-year period — critical trends about the environment, and about the impacts that environmental change have had on people. Perhaps even more importantly, it highlights the evolution of environmental policy responses that society has (or sometimes has not) put in place to ensure environmental security and sustainability.

Sustainable development rests on three pillars — society, economy and environment. The environmental pillar provides the physical resources and ecosystem services on which humankind depends. Growing evidence that many aspects of the environment are still degrading leads us to the conclusion that people



are becoming increasingly vulnerable to environmental change. Some countries can cope but many others remain at risk and when that risk becomes a reality their dreams of sustainable development are set back by decades. The notion of human vulnerability to environmental change has been incorporated specifically into this GEO assessment to demonstrate UNEP concern in an area which has a strong bearing on the success of sustainable development. UNEP places the concept of human vulnerability to environmental change high on its future programme of work.

*GEO-3* also breaks new ground by using scenario analysis to explore the environmental outlook, fast-forwarding the reader into an array of alternative futures that provide insight on where events could lead us at various stages between 2002 and 2032. While some of the possible developments may seem far removed from current circumstances, others have been predetermined by the decisions and actions we have already taken. We know that some of the policy approaches followed in the past have not lived up to

expectations and that institutional weaknesses have played an inevitable part in such slippages. At the Rio +5 event in 1997, it became clear that progress had fallen short of the goals set in 1992. Five years later the challenges remain no less exacting. Yet we at UNEP remain convinced that it lies well within the scope of human determination and ingenuity to come up with appropriate policy packages and use them to ensure that fundamental environmental conditions can and will get steadily better, not stealthily worse.

This report abounds with information that can serve as a firm foundation for the WSSD review of policies for sustainable development. I hope many will find it useful as an aid to prepare for the Summit, during the event itself and well beyond. It is being published in all the official UN languages so that people and communities round the world can make use of its insights to form their own position on what is at stake and what needs to be done. On a personal note, I hope that it will inspire you, the reader, to raise your commitment to environmental care to a summit of its own.



A handwritten signature in black ink, which appears to read 'Klaus Töpfer'.

Klaus Töpfer  
United Nations Under-Secretary General  
and Executive Director, United Nations Environment Programme

# The GEO Project

The UNEP Global Environment Outlook (GEO) project was initiated in response to the environmental reporting requirements of *Agenda 21* and to a UNEP Governing Council decision of May 1995 which requested the production of a comprehensive global state of the environment report. The GEO project has two components:

- A global environmental assessment process that is cross-sectoral, participatory and consultative. It incorporates regional views and builds consensus on priority issues and actions through dialogue among policy makers and scientists at regional and global levels. It also aims to strengthen environmental assessment capacity in the regions through training and 'learning-by-doing'.
- GEO outputs, in printed and electronic formats, including the GEO report series. This series presents periodic reviews of the state of the world's environment, and provides guidance for decision-making processes such as the formulation of environmental policies, action planning and resource allocation. Other outputs include regional, sub-regional and national environmental assessments, technical and other background reports, a Web site, products for young people (GEO for Youth) and a core database — the GEO Data Portal.

The GEO Data Portal provides report producers with easy access — via the Internet — to a common and consistent set of datasets from primary sources (UN and others), while covering a broad range of environmental and socio-economic themes. The Portal

## Internet references in GEO-3

GEO-3 has developed a special system for preserving the Internet references quoted in the bibliographies on the pages that follow. Each such reference is followed by a GEO-3 tag of the form [Geo-x-yyy]. This electronic reference scheme — a unique feature of GEO-3 — can be used both on the GEO-3 website at [www.unep.org/geo3](http://www.unep.org/geo3) and on the CD-ROM available with the English version of this report. Search can be by author, title of document or GEO-3 tag. Clicking on the tag brings up the full reference and text, even though the original Web page may have since disappeared from the Internet.

addresses one of the major concerns expressed ever since the start of the GEO project — the need for reliable, harmonized data for global and regional level environmental assessment and reporting. As of March 2002, the Portal gives access to some 300 statistical and geographical datasets at national, sub-regional, regional and global levels. State-of-the-art functionality for on-line data visualization and exploration are available for creating graphs, tables and maps.

## The GEO process

The coordinated global network of collaborating centres (CCs) is at the core of the GEO process. These centres have played an increasingly active role in preparing GEO reports. Regional centres are now responsible for almost all the regional inputs, combining top-down integrated assessment with bottom-up environmental reporting. Other institutions provide specialized expertise on cross-cutting or thematic issues.

Working groups provide advice and support to the GEO process, particularly on integrated assessment methodologies and process planning.

Other United Nations agencies contribute to the GEO process, mainly by providing substantive data and information on the many environmental and related issues that fall under their individual mandates. They also participate in the review process.

## GEO report series

The GEO reports are produced using a regional and participatory approach. Input is solicited from a wide range of sources throughout the world, including the collaborating centre network, United Nations organizations and independent experts.

Working together with the GEO Coordinating Team in Nairobi and the regions, the CCs research, write and review major parts of the report. During the preparation of the report, UNEP organizes consultations inviting policy makers and other stakeholders to review and comment on draft materials. Drafts also undergo extensive peer review. This iterative process is designed to ensure that the

contents are scientifically accurate and policy relevant to users in different parts of the world and with different environmental information needs.

Previous reports published are *GEO-1* in 1997 and *GEO-2000* in 1999. The third in the series, *GEO-3*, places major emphasis on providing an integrated assessment of environmental trends over the 30 years since the 1972 Stockholm Conference.

The analysis of environmental trends takes into consideration the widest possible range of social, economic, political and cultural drivers and root causes — demographics, production and consumption, poverty, urbanization, industrialization, governance, conflict, globalization of trade, finance, information and others. It also investigates the relationships between policy and environment, showing how policy can impact the environment and how the environment can drive policy.

For structural and presentational clarity, sectoral areas are used as the entry points for assessment. However, the cross-cutting nature of environmental issues is also emphasized, with integrated analysis of themes and policy impacts where appropriate, and emphasis on geographical and sectoral interlinkages.

Description and analysis are primarily targeted at global and regional levels but include sub-regional differentiation where appropriate. The analysis focuses on priority issues, with assessment of vulnerability, hot spots and emerging issues.

The report analyses the increasing human vulnerability to environmental change to determine extent and impacts on people. The report breaks with the tradition of most environmental assessments which are organized around environmental resources rather than around human concerns.

Using a 2002–32 time frame, *GEO-3* also contains a forward-looking and integrated analysis, which is based on four scenarios and linked to the major issues of current concern. The global-level analysis is extended to regions and sub-regions, identifying

### GEO supports the principle of access to environmental information for decision making

The GEO report series addresses one of the important objectives of *Agenda 21* which emphasizes the role of information in sustainable development. One of the *Agenda 21* activities involves the strengthening or establishment of mechanisms to transform scientific and socio-economic assessments into information suitable for both planning and public information. It also calls for the use of both electronic and non-electronic formats.

This objective has been further reaffirmed by the Malmö Ministerial Declaration of May 2000, which among other issues states that:

- To confront the underlying causes of environmental degradation and poverty, we must integrate environmental considerations in the mainstream of decision-making. We must also intensify our efforts in developing preventive action and a concerted response, including national environmental governance and the international rule of law, awareness-raising and education, and harness the power of information technology to this end. All actors involved must work together in the interest of a sustainable future.
- The role of civil society at all levels should be strengthened through freedom of access to environmental information to all, broad participation in environmental decision-making, as well as access to justice on environmental issues.
- Science provides the basis for environmental decision-making. There is a need for intensified research, fuller engagement of the scientific community and increased scientific cooperation on emerging environmental issues, as well as improved avenues for communication between the scientific community, decision makers and other stakeholders.

*Note: the Declaration was adopted by ministers of environment in Malmö, Sweden, at the First Global Ministerial Environment Forum*

potential areas of vulnerability and hot spots of the future, and drawing attention to policy implications. Contrasting visions of the future are developed for the next 30 years using narrative and quantitative approaches.

The final chapter of *GEO-3* presents positive policy and action items, linked to the overall conclusions of the assessment and targeted at different categories and levels of decision makers and actors. It elaborates the conditions and capacities required for successful application of policies and actions.

# Synthesis

The year 1972 stands as a watershed in modern environmentalism. The first international conference on the environment — the United Nations Conference on the Human Environment — was convened in Stockholm in that year, bringing together 113 nations and other stakeholders to discuss issues of common concern. In the 30 years since then, the world has made great strides in placing the environment on the agenda at various levels — from international to local. Phrases such as ‘think global and act local’ have galvanized action at many different levels. The result has been a proliferation of environmental policies, new legislative regimes and institutions, perhaps an unspoken acknowledgement that the environment is too complex for humanity to address adequately in every sense.

Decisions made since Stockholm now influence governance, business and economic activity at different levels, define international environmental law and its application in different countries, determine international and bilateral relations among different countries and regions, and influence individual and society lifestyle choices.

But there are problems: some things have not progressed, for example, the environment is still at the periphery of socio-economic development. Poverty and excessive consumption — the twin evils of humankind that were highlighted in the previous two

GEO reports — continue to put enormous pressure on the environment. The unfortunate result is that sustainable development remains largely theoretical for the majority of the world’s population of more than 6 000 million people. The level of awareness and action has not been commensurate with the state of the global environment today; it continues to deteriorate.

*GEO-3* provides an overview of the main environmental developments over the past three decades, and how social, economic and other factors have contributed to the changes that have occurred.

## State of the environment and policy responses

### Land

Since 1972, the main driving force leading to pressure on land resources has been increasing food production. In 2002, food is needed for some 2 220 million more people than in 1972. The trend during the decade 1985–95 showed population growth racing ahead of food production in many parts of the world. While irrigation has made an important contribution to agricultural production, inefficient irrigation schemes can cause waterlogging, salinization and alkalization of soils. In the 1980s, it was estimated that about 10 million ha of irrigated land were being abandoned annually. Human activities contributing to land degradation include unsuitable agricultural land use, poor soil and water management practices, deforestation, removal of natural vegetation, frequent use of heavy machinery, overgrazing, improper crop rotation and poor irrigation practices. The 1992 Earth Summit took a step forward in focusing attention on problems associated with land resources. National needs at times linked with *Agenda 21* have provided a basis for land resources policy, and the importance of land issues was reiterated in the review prepared for the UN Millennium Summit. This review identifies the threats to future global food security arising from problems of land resources.

### Forests

Deforestation over the past 30 years has been the continuation of a process with a long history. By the

## Regional highlights: Africa

The increasing numbers of African countries facing water stress and scarcity, and land degradation, are major environmental issues in the region. The rising costs of water treatment, food imports, medical treatment and soil conservation measures are not only increasing human vulnerability and health insecurity but are also draining African countries of their economic resources. The expansion of agriculture into marginal areas and clearance of natural habitats such as forests and wetlands has been a major driving force behind land degradation. The loss of biological resources translates into loss of economic potential and options for commercial development in the future. These negative changes, however, have been tempered by Africa’s impressive wildlife conservation record, including a well-established network of protected areas and the region’s commitment to multilateral environmental agreements. African countries also participate in many regional and sub-regional initiatives and programmes. Notable achievements include the 1968 African Convention on the Conservation of Nature and Natural Resources (currently being updated) and the 1991 Bamako Convention on the Ban of the Import into Africa and the Control of Transboundary Movement and Management of Hazardous Waste within Africa.

time of the Stockholm Conference, much forest cover had already been removed. Major direct causes of forest clearance and degradation include expansion of agricultural land, overharvesting of industrial wood, fuelwood and other forest products, and overgrazing. Underlying drivers include poverty, population growth, markets and trade in forest products, as well as macroeconomic policies. Forests are also damaged by natural factors such as insect pests, diseases, fire and extreme climatic events.

The net loss in global forest area during the 1990s was about 94 million ha (equivalent to 2.4 per cent of total forests). This was the combined effect of a deforestation rate of 14.6 million ha annually and a rate of reforestation of 5.2 million ha annually. Deforestation of tropical forests is almost 1 per cent annually. In the 1990s, almost 70 per cent of deforested areas were changed to agricultural land, predominantly under permanent rather than shifting systems. A recent study using globally comprehensive and consistent satellite data estimated that the extent of the world's remaining closed natural forests (where crown cover is more than 40 per cent) in 1995 was 2 870 million ha, about 21.4 per cent of the land area of the world.

The Stockholm Conference recognized forests as the largest, most complex and self-perpetuating of all ecosystems, and emphasized the need for sound land and forest use policies, ongoing monitoring of the state of the world's forests and the introduction of forest management planning. Today, the Stockholm Conference recommendations relating to forests remain valid and unfulfilled, in many ways, because of conflicting interests in managing forests for environmental conservation and economic development.

## Biodiversity

Global biodiversity is being lost at a rate many times higher than that of natural extinction due to land conversion, climate change, pollution, unsustainable harvesting of natural resources and the introduction of exotic species. Land conversion is most intensive in tropical forests and less intensive in temperate, boreal and arctic regions; atmospheric nitrogen deposition is largest in northern temperate areas close to cities; introduction of exotic species is related to patterns of human activity. Human population growth together with unsustainable

### Regional highlights: Asia and the Pacific

Overpopulation, poverty and lack of enforcement of policy measures have compounded environmental problems in many parts of the region. Biological resources have long been of subsistence importance, and have been increasingly exploited for trade. About three-quarters of known or suspected species extinctions have occurred on isolated islands in the region. Protected areas constitute only 5 per cent of the total area, compared to the IUCN benchmark of 10 per cent. Discharge of sewage and other wastes has heavily polluted freshwater. Sedimentation in rivers and reservoirs caused by large-scale deforestation has also resulted in big economic losses. Urbanization, industrialization and tourism, coupled with a growing coastal population, have degraded many coastal areas. More than 60 per cent of Asia's mangroves have been converted to aquaculture farms. Air pollution levels in some cities are among the highest in the world. While most environmental trends have been negative, positive changes have included improvement in governance by public authorities, growing environmental awareness and public participation, and increasing environmental awareness in industry.

patterns of consumption, increasing production of waste and pollutants, urban development and international conflict are further contributory factors to biodiversity loss. Over the past three decades, decline and extinction of species have emerged as major environmental issues. Although insufficient information is available to determine precisely how many species have become extinct in the past three decades, about 24 per cent (1 130) of mammals and 12 per cent (1 183) of bird species are currently regarded as globally threatened.

The past three decades have been marked by the emergence of a concerted response to the biodiversity crisis. Civil society, including a hugely diverse and increasingly sophisticated NGO network, has been a major driving force behind this. Increased stakeholder participation relating to conservation action has seen

### Regional highlights: Europe

The environmental situation is mixed: there have been some noticeable improvements over the past 30 years (for example, emissions to air); the state of biodiversity and forests has not changed greatly; and other situations have undergone marked degradation (freshwater, and some coastal and marine areas). By the 1990s, the European atmosphere had generally improved significantly. Increasing efforts to safeguard natural areas and biodiversity may signal a turn-around in species protection. Freshwater stocks are unevenly distributed, with parts of southern, western and southeastern Europe being noticeably water stressed. The health of coastal and marine areas has noticeably worsened, particularly in southern and western Europe and the Mediterranean coastline. Geographically, there has been an amelioration of some environmental problems in Western Europe, and a common (but far from universal) deterioration in Central and Eastern Europe, with recent signs of a broad recovery in many countries. The development of strong environmental policies in the European Union promises continuing progress in the area.

the emergence of partnerships between NGOs, governments and the private sector. A number of international conventions have been developed that deal specifically with conservation of threatened species. These include the 1973 Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES) and the 1979 Convention on the Conservation of Migratory Species of Wild Animals (CMS). A major policy response of the 1990s is the adoption, ratification and implementation of the Convention on Biological Diversity (CBD).

### Freshwater

About one-third of the world's population lives in countries suffering from moderate-to-high water stress — where water consumption is more than 10 per cent of renewable freshwater resources. Some 80 countries, constituting 40 per cent of the world's population, were suffering from serious water shortages by the mid-1990s. Increasing water demand has been caused by population growth, industrial development and the expansion of irrigated agriculture. For many of the world's poorer populations, one of the greatest environmental threats

to health remains the continued use of untreated water. While the percentage of people served with improved water supplies increased from 79 per cent (4.1 billion) in 1990 to 82



per cent (4.9 billion) in 2000, 1.1 billion people still lack access to safe drinking water and 2.4 billion lack access to adequate sanitation. Most of these people are in Africa and Asia. Lack of access to safe water supply and sanitation results in hundreds of millions of cases of water-related diseases, and more than 5 million deaths, every year. Large, but poorly quantified adverse impacts on economic productivity have been noted in many developing countries. Emphasis on water supply, coupled with weak enforcement of regulations, has limited the effectiveness of water resource management, particularly in developing regions. Policy makers have now shifted from supply to demand management, highlighting the importance of using a combination of measures to ensure adequate supplies of water for different sectors. Measures

include improving water use efficiency, pricing policies and privatization. There is also a new emphasis on integrated water resources management (IWRM), which takes into account all the different stakeholders in water resource planning, development and management.

### Coastal and marine areas

Marine and coastal degradation is caused by increasing pressure on both terrestrial and marine natural resources, and on the use of the oceans to deposit wastes. Population growth and increasing urbanization, industrialization and tourism in coastal areas are root causes of this increased pressure. In 1994, an estimated 37 per cent of the global population lived within 60 km of the coast — more people than inhabited the planet in 1950. The effects of population are multiplied by both poverty and human consumption patterns. Globally, sewage remains the largest source of contamination, by volume, of the marine and coastal environment, and coastal sewage discharges have increased dramatically in the past three decades.

Marine and coastal eutrophication from elevated nitrogen inputs has emerged as a worrying trend not foreseen three decades ago. There is increasing evidence that blooms of toxic or otherwise undesirable phytoplankton are increasing in frequency, intensity



Map shows water availability measured in terms of 1 000 m<sup>3</sup> per capita/year — see page 152

#### Regional highlights: Latin America and the Caribbean

Environmental degradation in Latin America and the Caribbean has increased over the past 30 years. The main pressures on the environment and natural resources are the rising population, increasing inequality of incomes, limited planning, especially in urban areas, and the high dependence of many economies on natural resources exploitation. More than 300 million ha of land have been degraded and almost 30 per cent of the reefs in the Caribbean are considered to be at risk. Of the more than 400 million ha of natural forest lost worldwide over the past 30 years, more than 40 per cent was in the region. Urban environmental problems, especially air pollution, water contamination and inadequate waste disposal, are having severe health impacts on people living in cities, currently 75 per cent of the population. The increasing frequency and intensity of natural disasters, possibly linked to climate change, is having a high human and financial cost. The poorest populations, especially urban ones, are the most vulnerable to such disasters.

and geographic distribution. Severe eutrophication has occurred in several enclosed or semi-enclosed seas, including the Black Sea. Human-induced changes in the natural flow of sediment have emerged since the Stockholm Conference as a major threat to coastal habitats. Urban and industrial development drives the construction of residential and industrial infrastructure which, depending on its nature, can alter sediment flow.

There is particular concern about the possible effects of global warming on coral reefs. During the intense El Niño of 1997-98, extensive coral bleaching occurred on coral reefs worldwide. While some reefs quickly recovered, others, particularly in the Indian Ocean, Southeast Asia, the far western Pacific and the Caribbean, suffered significant mortality, in some cases more than 90 per cent.

Progress in protecting the marine and coastal environment over the past 30 years has generally been confined to relatively few, mostly developed countries, and to a relatively few environmental issues. Overall, coastal and marine environmental degradation not only continues but has intensified.

## Atmosphere

Acid precipitation has been one of the most prominent environmental concerns over the past decades, especially in Europe and North America, and more recently also in China. Thousands of lakes in Scandinavia lost fish populations due to acidification from the 1950s to the 1980s. Significant damage to forests in Europe became a high priority environmental issue around 1980. Air pollutant

### Regional highlights: North America

North America is a major consumer of the world's natural resources and producer of its wastes, and its per capita impact on the global environment is larger than that of any other region. Resource conservation in North America has been less successful than pollution abatement, and per capita consumption has increased steadily since 1972. There has been significant progress in controlling some forms of air and water pollution and in continuing a trend to set aside protected areas. During the 1990s, North American free trade strengthened the economic ties between Canada and the United States. At the same time, regional environmental degradation led to an increased recognition of the interdependent nature of cross-border ecosystems. The two countries strengthened cooperative measures to address transboundary pollution, agreeing to more aggressive NO<sub>x</sub> emission controls, for example. They also undertook to conserve the continent's wetland habitats to protect waterfowl and other migratory species. The impact of introduced exotic species on biological diversity became of increasing environmental concern with the liberalization of trade.

emissions have declined or stabilized in most industrialized countries, largely as a result of abatement policies developed and implemented since the 1970s. Initially, governments tried to apply direct control instruments but these were not always cost-effective. In the 1980s, policies were directed more towards pollution abatement mechanisms that relied on a compromise between the cost of environmental protection measures and economic growth. Stricter environmental regulation in industrialized countries has triggered the introduction of cleaner technology and technological improvements, especially in the power generation and transport sectors.

Since the industrial revolution, the concentration of CO<sub>2</sub>, one of the major greenhouse gases, in the atmosphere has increased significantly, contributing to the greenhouse effect known as 'global warming'. The increase is largely due to anthropogenic emissions of CO<sub>2</sub> from fossil fuel combustion and to a lesser extent land-use change, cement production and biomass combustion. Greenhouse gas emissions are unevenly distributed between countries and regions. Organization for Economic Cooperation and Development (OECD) countries contributed more than half of CO<sub>2</sub> emissions in 1998, with a per capita emission of about three times the world average. However, the OECD's share of global CO<sub>2</sub> emissions has decreased by 11 per cent since 1973. Climate change represents an important additional stress on those ecosystems already affected by increasing resource demands, unsustainable management practices and pollution. The United Nations Framework Convention on Climate Change and the

### Regional highlights: West Asia

Conservation and protection of freshwater resources is a top priority, particularly on the Arabian Peninsula where water deficits are being met mainly through exploitation of groundwater resources. Countries are developing water policies to manage water scarcity by increasing both water supply and conservation, and introducing more efficient irrigation. Land degradation and food security continue to be key environmental issues. The region's seas include some of the busiest shipping areas of the world, making the marine environment susceptible to pollution events such as oil spills. Per capita hazardous waste production is among the highest in the world due to the types of industry in the region. Air emissions from power stations, desalination plants and industrial installations are also of concern.

**Regional highlights: the Polar Regions**

The major environmental issues in the polar regions include the depletion of the stratospheric ozone layer, the long-range transport of air pollutants, warming associated with global climate change, the decline of several bird, mammal and fish species, and pollution of major rivers. In the Arctic, average yearly ozone levels in the 1990s had declined by 10 per cent from the late 1970s, increasing the risk of snow blindness and sunburn. Climate change is expected to be more extreme in the polar regions than anywhere else. Human activities are major threats to biodiversity in the Arctic. The warming trend is reducing the ice habitat for species such as the polar bear and walrus. In the Antarctic, sealing and whaling have reduced populations in the Southern Ocean. Eutrophication is a recent problem in several lakes in Scandinavia. One of the major developments in the Arctic is public opposition to dam construction, particularly in the Nordic countries. For example, in 2001 Iceland's National Planning Agency rejected plans for a hydroelectric power project that would have dammed two of the three main rivers flowing from Europe's largest glacier and destroyed an extensive wilderness.


Kyoto Protocol are the key policy instruments adopted by the international community to try to address the problem of greenhouse gases emissions.

The protection of the ozone layer has presented one of the major challenges over the past 30 years, spanning the fields of environment, trade, industry, international cooperation and sustainable development. The depletion of the ozone layer has now reached record levels, especially in the Antarctic and recently also in the Arctic. In September 2000, the Antarctic ozone hole covered more than 28 million km<sup>3</sup>. Continuous efforts by the international community have resulted in a marked decrease in the consumption of ozone-depleting substances. The ozone layer is predicted to start recovering in the next one or two decades and to return to pre-1980 levels by the middle of the 21st century— if the control measures of the protocols to the Vienna Convention are adhered to by all countries.

**Urban areas**

About half of the world's population (47 per cent) now lives in urban areas, compared to little more than one-

Population (in millions) of some of the largest cities in the world, by region — see page 244



third in 1972. The accumulation of people, their consumption patterns, travel behaviour and their urban economic activities impact the environment in terms of resource consumption and waste discharges. Some 70 per cent of the world's urban population live in Africa, Asia or Latin America. The urban population is expected to grow by 2 per cent per year during 2000–15, and to reach an overall 65 per cent by 2050.

The implications of rapid urban growth include increasing unemployment and poverty, inadequate urban services, overburdening of existing infrastructure, lack of access to land, finance and adequate shelter, and environmental degradation. Managing the urban environment sustainably will therefore become one of the major challenges for the future.

Poverty is among the major drivers of urban environmental degradation. The urban poor, who are unable to compete for scarce resources or protect themselves from harmful environmental conditions, are most affected by the negative impacts of urbanization. It is estimated that one-quarter of the urban population lives below the poverty line and that female-headed households are disproportionately affected.

Inadequate waste collection and waste management systems are the cause of serious urban pollution and health hazards, especially in cities in developing countries. Cities in industrialized countries also face the consequences of past environmentally damaging production techniques and inadequate waste disposal. Well-planned, densely populated settlements can reduce the need for land conversion, provide opportunities for energy savings and make recycling more cost-effective.

**Disasters**

People and the environment are suffering increasingly from the effects of natural disasters due to high



population growth and density, migration and unplanned urbanization, environmental degradation and possibly global climate change. The number of people affected by disasters rose from an average of 147 million a year in the 1980s to 211 million a year in the 1990s. While the number of geophysical disasters has remained fairly steady, the number of hydrometeorological disasters (such as droughts, windstorms and floods) has increased. In the 1990s, more than 90 per cent of those killed in natural disasters lost their lives in hydrometeorological events. While floods accounted for more than two-thirds of people affected by natural disasters, they are less deadly than many other types of disaster, accounting for only 15 per cent of deaths. The most expensive disasters in purely economic terms are floods, earthquakes and windstorms but events such as drought and famine can be more devastating in human terms. While earthquakes accounted for 30 per cent of estimated damage, they caused just 9 per cent of all fatalities due to natural disasters. In contrast, famine killed 42 per cent but accounted for just 4 per cent of economic damage over the past decade. Among the least developed countries, 24 of the 49 face high levels of disaster risk; at least six of them have been affected by between two and eight major disasters per year in the past 15 years, with long-term consequences for human development. Since 1991, more than half of all the disasters reported occurred in countries with medium levels of human development. However, two-thirds of those killed came from countries with low levels of human development, while just 2 per cent came from highly developed countries.

Some experts link the recent trend in extreme weather events to an increase of the global mean temperature. Many parts of the world have suffered major heat waves, floods, droughts and other extreme weather events. A number of major accidents involving chemicals and radioactive materials have drawn attention worldwide to the dangers of mismanagement, particularly in the transport, chemical and nuclear power sectors. These events often have impacts that transcend national boundaries; they also emphasize the fact that issues of technological safety concern more than just the developed countries.

## Human vulnerability to environmental change

### Vulnerable groups

Everyone is vulnerable to environmental impacts of some kind but the ability of people and societies to adapt to and cope with change is very varied. People in developing countries, particularly the least developed, have less capacity to adapt to change and are more vulnerable to environmental threats and global change, just as they are more vulnerable to other stresses. Poverty is generally recognized as one of the most important causes of vulnerability to environmental threats, on the basis that the poor tend to have much lower coping capacities, and therefore they bear a disproportionate burden of the impact of disasters, conflict, drought, desertification and pollution. But poverty is not the only reason.


### Vulnerable places

Human exposure to environmental threats is unevenly distributed. Some locations, such as high latitudes, floodplains, river banks, small islands and coastal areas, pose more risk than others. Of the

projected 1 billion new urban dwellers by 2010, most will probably be absorbed by cities in developing countries that already face multiple problems such as shortages of adequate housing, infrastructure, potable water supplies, adequate sanitation and transportation systems as well as environmental pollution.

### Environmental change

Degradation of natural resources such as land, fresh and marine waters, forests and biodiversity threatens the livelihood of many people but especially the poor. The 'sink' function of the environment operates through such processes as nutrient recycling, decomposition, and the natural purification and filtering of air and water. When these functions are impaired or overburdened, health can be jeopardized by contaminated water supplies including groundwater, and by urban air pollution and



Satellite image shows extensive smoke haze over Indonesia and neighbouring areas on 20 October 1997 — see page 307

agrochemical pollution. Human health is increasingly determined by environmental conditions. For example:

- Deteriorating environmental conditions are a major contributory factor to poor health and a reduced quality of life.
- Poor environmental quality is directly responsible for some 25 per cent of all preventable ill-health, with diarrhoeal diseases and acute respiratory infections heading the list.
- Air pollution is a major contributor to a number of diseases.
- Globally, 7 per cent of all deaths and diseases are due to inadequate or unsafe water, sanitation and hygiene. Approximately 5 per cent are attributable to air pollution.

### Responding to human vulnerability

The cumulative evidence for increasing human vulnerability to environmental change calls for a significant policy response and action on several fronts. Governments need to assess and map national threats due to environmental change, particularly those that may be growing, and to institute early warning, mitigation and response measures to reduce the human and economic costs of disasters that are in part avoidable.

### Reducing vulnerability

There is a large and widening vulnerability gap between well-off people, with better all-round coping capacity, who are becoming gradually less vulnerable, and the poor who grow increasingly so. It is vital to the sustainable development effort that this gap is addressed, as well as vulnerability itself. For the most significant improvements, priority should go to policies that reduce the vulnerability of the poor as part of general strategies for poverty reduction.

### Adapting to threat

Where a threat cannot be reduced or eliminated, adapting to it can be an effective response. Adaptation refers both to physical adjustments or technical measures (such as constructing a higher sea wall) and to changing behaviour, economic activities and social organization to be more compatible with existing or emerging conditions or threats. The latter requires adaptive capacity, including the ability to develop new options and to deliver them to vulnerable populations.

### Early warning

One of the most effective responses to human vulnerability to environmental change is to strengthen mechanisms for early warning. Many actions can be taken to protect life and property if warning is received in time. While some threats are inherently unpredictable, many of those arising from environmental degradation and mismanagement, and from human activities, can now be anticipated with some precision.

### Assessing and measuring vulnerability

Vulnerability assessment measures the seriousness of potential threats on the basis of known hazards and the level of vulnerability of societies and individuals. It can be used to translate early warning information into preventive action and is a necessary element in early warning and emergency preparedness. Assessments of vulnerability can be made for both people and the environmental systems that provide goods and services. They should identify the location of vulnerable populations, the threats to their well-being and the extent of their vulnerability, the risks to the environmental capacity to provide goods and services, and the preventive steps that can be taken to improve environmental conditions and reduce the negative impacts of human action on the environment.

## Outlook 2002–32

*GEO-3* emphasizes that the next 30 years will be as crucial as the past 30 for shaping the future of the environment. Old troubles will persist and fresh challenges will emerge as increasingly heavy demands are placed upon resources that, in many cases, are already in a fragile state. The increasing pace of change and degree of interaction between regions and issues has made it more difficult than ever to look into the future with confidence. *GEO-3* uses four scenarios to explore what the future could be, depending on different policy approaches. The scenarios, which span developments in many overlapping areas, including population, economics, technology and governance, are described in the boxes that follow. They are:

- *Markets First*
- *Policy First*
- *Security First*
- *Sustainability First.*



## Markets First

Most of the world adopts the values and expectations prevailing in today's industrialized countries. The wealth of nations and the optimal play of market forces dominate social and political agendas. Trust is placed in further globalization and liberalization to enhance corporate wealth, create new enterprises and livelihoods, and so help people and communities to afford to insure against — or pay to fix — social and environmental problems. Ethical investors, together with citizen and consumer groups, try to exercise growing corrective influence but are undermined by economic imperatives. The powers of state officials, planners and lawmakers to regulate society, economy and the environment continue to be overwhelmed by expanding demands.

Some of the global and regional environmental implications arising out of the four scenarios are highlighted below.

The absence of effective policies to reduce emissions of carbon dioxide and other greenhouse gases in the *Markets First* and *Security First* scenarios leads to significant increases over the next 30 years. However, the policy actions taken under a *Policy First* scenario, notably carbon taxes and investments in non-fossil-fuel energy sources, effectively curb growth in global emissions and lead to actual reductions starting around 2030. The behavioural shifts under *Sustainability First*, together with improved production and conversion efficiencies, result in a rapid levelling off of emissions and a decline by the middle of the 2020s.

Biodiversity will continue under threat if there is no strenuous policy action to curb human activity. Continued urban and infrastructure expansion, plus the increased impacts of climate change, severely deplete biodiversity in most regions in all scenarios. Pressures will also increase on coastal ecosystems in most regions and scenarios.

The scenarios carry important implications for the provision of basic human needs. Growing populations and increased economic activity, particularly in agriculture, will lead to increased demand for freshwater in most scenarios. Similarly, the demands for food and the ability to meet them in the different scenarios reflect a combination of shifts in supply and demand, influenced by social, economic and environmental policies. In *Markets First*, even with a decrease in the percentage of the population facing hunger, the total number affected changes relatively

little and even increases in some regions as populations grow. Under *Policy First* and *Sustainability First* the targeting of hunger reduction as a key goal, and the emphasis on more balanced development between regions, help to achieve dramatic reductions in the percentages and total numbers of people affected. The sharp increases in most regions in *Security First* points to the unsustainability of such a scenario in terms of social acceptability.

In Africa, there is increasing risk of land degradation. In *Policy First* and *Sustainability First*, easier access to support services helps farmers to manage soils better and policies based on integrated land management become commonplace in the region. At the other end of the spectrum, in a *Security First* scenario, while reasonable conditions are maintained in the protected areas serving the land-owning elite, the high concentration of people elsewhere contribute to severe land degradation and soil erosion. Similar problems arise in *Markets First* as better quality agricultural land is taken over for commodity and cash crop production.

Under the *Markets First* scenario in Asia and the Pacific, water withdrawals are expected to increase in all sectors, leading to an expansion of areas with severe water stress in South and Southeast Asia. Slower economic growth under *Security First* tempers growth in demand. With effective policies and lifestyle changes under the *Policy First* and *Sustainability First* scenarios, water withdrawals remain at current levels or even decrease in most of the region.



Infrastructure affects 72 per cent of the world's land area (black and red areas are the worst affected) by the year 2032 under a *Markets First* scenario — see page 354



## Policy First

Decisive initiatives are taken by governments in an attempt to reach specific social and environmental goals. A coordinated pro-environment and anti-poverty drive balances the momentum for economic development at any cost. Environmental and social costs and gains are factored into policy measures, regulatory frameworks and planning processes. All these are reinforced by fiscal levers or incentives such as carbon taxes and tax breaks. International 'soft law' treaties and binding instruments affecting environment and development are integrated into unified blueprints and their status in law is upgraded, though fresh provision is made for open consultation processes to allow for regional and local variants.



**Security First**

This scenario assumes a world of striking disparities where inequality and conflict prevail. Socio-economic and environmental stresses give rise to waves of protest and counteraction. As such troubles become increasingly prevalent, the more powerful and wealthy groups focus on self-protection, creating enclaves akin to the present day 'gated communities'. Such islands of advantage provide a degree of enhanced security and economic benefits for dependent communities in their immediate surroundings but they exclude the disadvantaged mass of outsiders. Welfare and regulatory services fall into disuse but market forces continue to operate outside the walls.


The ability of Europe to address the issues of large-scale air pollution and greenhouse gas emissions will depend heavily upon developments in the areas of energy use and transportation. Extremely active policies to improve public transportation and energy efficiency can be expected in *Policy First* and *Sustainability First* worlds, but not in *Security First* or even *Markets First* circumstances.

Land and forest degradation as well as forest fragmentation remain among the most relevant environmental issues in Latin America and the Caribbean in all scenarios. Significant loss of forest area occurs in a *Markets First* scenario. In a *Security First* world, the control over forest resources by transnational companies that create cartels in association with the national groups in power, promotes the growth of some forest areas, but this is not enough to stop net deforestation. More effective management ameliorates some of these problems in *Policy First*. Unsound deforestation stops almost

completely in a world of *Sustainability First*.

As the world's biggest emitter of greenhouse gases, North America plays a major role in determining the future climate of the planet. In *Markets*

*First*, the region's refusal to participate significantly hampers international efforts to control the emissions of these gases, and per capita and absolute emissions remain high. The collapse of parts of the transport infrastructure and restrictions on fossil-fuel vehicle ownership in *Security First* result in even greater increases in emissions in this scenario. Under *Policy*



Percentage of 2002 cropland that becomes so degraded by 2032 that it is of little value for production, for each of the four scenarios — see page 356

*First*, emissions are reduced through increased fuel efficiency and greater use of public transport but most spectacular results are achieved in *Sustainability First*.

West Asia is one of the most water-stressed regions of the world, with more than 70 million people living in areas under severe water stress. Under the *Markets First* and *Security First* scenarios, population and economic growth lead to strong increases in withdrawals for households and industry, resulting in an increase in areas with severe water stress and affecting over 200 million people by 2032. A range of policy initiatives help to counteract additional demands related to economic growth in both *Policy First* and *Sustainability First*. Although total withdrawals drop in both scenarios, water scarcity persists and demand continues to exceed available water resources.

Fish and other marine stocks are a key area of concern in the polar regions. Under *Markets First*, massive increase in commercial harvesting and abandonment of targeted fisheries leads to some fish populations crashing. Illegal, unregulated and unreported fishing activities cease in *Security First* under direct pressure from powerful regulatory interests, but controlled exploitation rises to very high levels. Total collapse of any single fishery is averted under *Policy First* by enforcement of stringent harvesting quotas and other regulatory systems. In *Sustainability First*, fish and marine mammals are rigorously defended against overexploitation.

The environmental implications of the various scenarios illustrate the legacy of past decades and the level of effort that will be needed to reverse powerful trends. One of the major policy lessons from the scenarios is that there can be significant delays



**Sustainability First**

A new environment and development paradigm emerges in response to the challenge of sustainability, supported by new, more equitable values and institutions. A more visionary state of affairs prevails, where radical shifts in the way people interact with one another and with the world around them stimulate and support sustainable policy measures and accountable corporate behaviour. There is much fuller collaboration between governments, citizens and other stakeholder groups in decision-making on issues of close common concern. A consensus is reached on what needs to be done to satisfy basic needs and realize personal goals without beggaring others or spoiling the outlook for posterity.

between changes in human behaviour, including policy choices, and their environmental impacts, specifically:

- Much of the environmental change that will occur over the next 30 years has already been set in motion by past and current actions.
- Many of the effects of environmentally relevant policies put into place over the next 30 years will not be apparent until long afterwards.

### Options for action

The world is currently plagued by increasing poverty and continually widening divisions between the haves and the have-nots. These divisions — the environmental divide, the policy divide, the vulnerability gap and the lifestyle divide — all threaten sustainable development. They must be addressed urgently, and with greater success than has often been the case in the past. Certain key areas of attention have been identified for global action at all levels to ensure the success of sustainable development. Prime among them are alleviating poverty for the world's have-nots, reducing excessive consumption among the more affluent, reducing the debt burden of developing countries, and ensuring adequate governance structures and funding for the environment.

Underlying this action, however, must be the greater provision of and access to information in all its forms as the fundamental basis of successful planning and decision-making. The information revolution holds the possibility of providing cheap and reliable information in appropriate forms to all stakeholders in the environment — decision makers, local communities, the general public — thus enabling them to participate more meaningfully in decisions and actions that determine the courses of their daily lives and of those of succeeding generations.

The final section of *GEO-3* presents possible policy options for the future based on UNEP experience, the *GEO-3* assessment and wide

consultations at different levels. The suggestions are intended as a check-list from which to make appropriate selections for action. The overriding need in policy development is for a balanced approach towards sustainable development. From the environment perspective, this means bringing the environment in from the margins to the heart of development. The fields where action is suggested cover the need to:

- Rethink environmental institutions because they need to adapt to new roles and partnerships to fulfil present obligations and confront emerging environmental challenges.
- Strengthen the policy cycle so that it becomes more rigorous, systematic, integrated and able to develop policies that are better attuned to specific localities and situations.
- Provide an enhanced international policy framework to overcome the fragmentation and duplication inherent in the present system.
- Use trade more effectively for the benefit of sustainable development to capitalize on the new opportunities provided by trade liberalization.
- Harness technology for the environment and manage the associated risks to maximize the potential of new technologies to deliver substantial environmental and social gains.
- Adjust and coordinate policy instruments, including various legal frameworks, and measures such as valuing environmental goods and services, ensuring that markets work for sustainable development and promoting voluntary initiatives, to develop appropriate packages that work more effectively for the environment.
- Monitor policy performance with the aim of improving levels of implementation, enforcement and compliance.
- Re-define and share roles and responsibilities between local, regional and global levels to provide efficient solutions to managing complex and varied situations at a variety of scales.

# The GEO-3 Regions

There are seven GEO-3 regions, divided into sub-regions:

**Africa;**  
**Asia and the Pacific;**  
**Europe;**  
**Latin America and the Caribbean;**  
**North America;**  
**West Asia; and**  
**the Polar Regions**


## Polar Regions

### The Arctic

The eight Arctic countries are:

Canada, Greenland (Denmark), Finland, Iceland, Norway, Russia, Sweden, Alaska (United States)

### The Antarctic



## Africa

### Northern Africa:

Algeria, Egypt, Libyan Arab Jamahiriya, Morocco, Sudan, Tunisia

### Western Africa:

Benin, Burkina Faso, Cape Verde, Côte d'Ivoire, Gambia, Ghana, Guinea, Guinea-Bissau, Liberia, Mali, Mauritania, Niger, Nigeria, Senegal, Sierra Leone, Togo

### Central Africa:

Cameroon, Central Africa Republic, Chad, Congo, Democratic Republic of Congo, Equatorial Guinea, Gabon, São Tomé and Príncipe

### Eastern Africa:


Burundi, Djibouti, Eritrea, Ethiopia, Kenya, Rwanda, Somalia, Uganda

### Western Indian Ocean:

Comoros, Madagascar, Mauritius, Réunion (France), Seychelles

### Southern Africa:

Angola, Botswana, Lesotho, Malawi, Mozambique, Namibia, South Africa, Swaziland, United Republic of Tanzania, Zambia, Zimbabwe



## Asia and the Pacific

### South Asia:

Afghanistan, Bangladesh, Bhutan, India, Islamic Republic of Iran, Maldives, Nepal, Pakistan, Sri Lanka

### Southeast Asia:

Brunei Darussalam, Cambodia, Indonesia, Lao People's Democratic Republic, Malaysia, Myanmar, Philippines, Singapore, Thailand, Viet Nam

### Northwest Pacific and East Asia:

China, Democratic People's Republic of Korea, Japan, Republic of Korea, Mongolia

### Central Asia:


Kazakhstan, Kyrgyzstan, Tajikistan, Turkmenistan, Uzbekistan


### Australia and New Zealand:

Australia, New Zealand

### South Pacific:

American Samoa (United States), Cook Islands, Fiji, French Polynesia (France), Guam (United States), Kiribati, Micronesia, Marshall Islands, Nauru, New Caledonia (France), Northern Mariana Islands (United States), Niue, Papua New Guinea, Pitcairn Islands (United Kingdom), Republic of Palau, Samoa, Solomon Islands, Tokelau (New Zealand), Tonga, Tuvalu, Vanuatu, Wallis and Futuna (France)





## Europe

### Western Europe:

Andorra, Austria, Belgium, Denmark, Finland, France, Germany, Greece, Holy See, Iceland, Ireland, Israel, Italy, Liechtenstein, Luxembourg, Malta, Monaco, Netherlands, Norway, Portugal, San Marino, Spain, Sweden, Switzerland, United Kingdom

### Central Europe:

Albania, Bosnia and Herzegovina, Bulgaria, Croatia, Cyprus, Czech Republic, Estonia, Hungary, Latvia, Lithuania, Poland, Romania, Slovakia, Slovenia, The Former Yugoslav Republic of Macedonia, Turkey, Yugoslavia

### Eastern Europe:

Armenia, Azerbaijan, Belarus, Russian Federation, Georgia, Republic of Moldova, Ukraine

## West Asia

### Arabian Peninsula:

Bahrain, Kuwait, Oman, Qatar, Saudi Arabia, United Arab Emirates, Yemen

### Mashriq:

Iraq, Jordan, Lebanon, Syrian Arab Republic, Occupied Palestinian Territories





## North America

Canada  
United States



## Latin America and the Caribbean

### Caribbean:

Anguilla (United Kingdom), Antigua and Barbuda, Aruba (Netherlands), Bahamas, Barbados, British Virgin Islands (United Kingdom), Cayman Islands (United Kingdom), Cuba, Dominica, Dominican Republic, Grenada, Guadeloupe (France), Haiti, Jamaica, Martinique (France), Montserrat (United Kingdom), Netherlands Antilles (Netherlands), Puerto Rico (United States), St Kitts and Nevis, St Lucia, St Vincent and the Grenadines, Trinidad and Tobago, Turks and Caicos (United Kingdom), Virgin Islands (United States)

### Meso-America:

Belize, Costa Rica, El Salvador, Guatemala, Honduras, Mexico, Nicaragua, Panama

### South America:

Argentina, Bolivia, Brazil, Chile, Colombia, Ecuador, French Guyana (France), Guyana, Paraguay, Peru, Suriname, Uruguay, Venezuela



